

Mobility & Vehicle Mechanics

*International Journal for Vehicle Mechanics, Engines and
Transportation Systems*

ISSN 1450 - 5304

UDC 621 + 629(05)=802.0

Ivan Grujić Aleksandar Davinić	INFLUENCE OF WORKING REGIMES ON DOUBLE VIBE FUNCTION PARAMETERS FOR DIESEL ENGINES	1-8
Nadica Stojanović Jasna Glišović	STRUCTURAL AND THERMAL ANALYSIS OF HEAVY VEHICLES' DISC BRAKES	9-16
Boris Stojić	COMPARISON OF THE PHYSICAL AND EMPIRICAL APPROACH TO MODELLING OF QUASISTATIC ENVELOPING PROPERTIES OF THE TRACTOR TIRE	17-27
Saša Milojević Radivoje Pešić Dragan Taranović Aleksandar Davinić	TRIBOLOGICAL OPTIMIZATION OF RECIPROCATING MACHINES ACCORDING TO IMPROVING PERFORMANCE	29-44
Aleksandar Poznić Danijela Miloradović	EXPERIMENTAL EVALUATION OF MAGNETORHEOLOGICAL DISK BRAKE	45-54

Editors: Prof. dr Jovanka Lukić; Prof. dr Čedomir Duboka

MVM Editorial Board
University of Kragujevac
Faculty of Engineering
Sestre Janjić 6, 34000 Kragujevac, Serbia
Tel.: +381/34/335990; Fax: + 381/34/333192

Prof. Dr **Belingardi Giovanni**
 Politecnico di Torino,
 Torino, ITALY

Dr Ing. **Čučuz Stojan**
 Visteon corporation,
 Novi Jicin,
 CZECH REPUBLIC

Prof. Dr **Demić Miroslav**
 University of Kragujevac
 Faculty of Engineering
 Kragujevac, SERBIA

Prof. Dr **Fiala Ernest**
 Wien, OESTERREICH

Prof. Dr **Gillespie D. Thomas**
 University of Michigan,
 Ann Arbor, Michigan, USA

Prof. Dr **Grujović Aleksandar**
 University of Kragujevac
 Faculty of Engineering
 Kragujevac, SERBIA

Prof. Dr **Knapezyk Josef**
 Politechniki Krakowskiej,
 Krakow, POLAND

Prof. Dr **Krstić Božidar**
 University of Kragujevac
 Faculty of Engineering
 Kragujevac, SERBIA

Prof. Dr **Mariotti G. Virzi**
 Università degli Studi di Palermo,
 Dipartimento di Meccanica ed
 Aeronautica,
 Palermo, ITALY

Prof. Dr **Pešić Radivoje**
 University of Kragujevac
 Faculty of Engineering
 Kragujevac, SERBIA

Prof. Dr **Petrović Stojan**
 Faculty of Mech. Eng. Belgrade,
 SERBIA

Prof. Dr **Radonjić Dragoljub**
 University of Kragujevac
 Faculty of Engineering
 Kragujevac, SERBIA

Prof. Dr **Radonjić Rajko**
 University of Kragujevac
 Faculty of Engineering
 Kragujevac, SERBIA

Prof. Dr **Spentzas Constantinos**
 N. National Technical University,
 GREECE

Prof. Dr **Todorović Jovan**
 Faculty of Mech. Eng. Belgrade,
 SERBIA

Prof. Dr **Toliskyy Vladimir E.**
 Academician NAMI,
 Moscow, RUSSIA

Prof. Dr **Teodorović Dušan**
 Faculty of Traffic and Transport
 Engineering,
 Belgrade, SERBIA

Prof. Dr **Veinović Stevan**
 University of Kragujevac
 Faculty of Engineering
 Kragujevac, SERBIA

For Publisher: Prof. dr Miroslav Živković, dean, University of Kragujevac, Faculty of Engineering

Publishing of this Journal is financially supported from:
Ministry of Education, Science and Technological Development, Republic Serbia

Mobility &

Motorna

Vehicle

**Volume 42
Number 1
2016.**

Vozila i

Mechanics

Motori

Ivan Grujić Aleksandar Davinić	INFLUENCE OF WORKING REGIMES ON DOUBLE VIBE FUNCTION PARAMETERS FOR DIESEL ENGINES	1-8
Nadica Stojanović Jasna Glišović	STRUCTURAL AND THERMAL ANALYSIS OF HEAVY VEHICLES' DISC BRAKES	9-16
Boris Stojić	COMPARISON OF THE PHYSICAL AND EMPIRICAL APPROACH TO MODELLING OF QUASISTATIC ENVELOPING PROPERTIES OF THE TRACTOR TIRE	17-27
Saša Milojević Radivoje Pešić Dragan Taranović Aleksandar Davinić	TRIBOLOGICAL OPTIMIZATION OF RECIPROCATING MACHINES ACCORDING TO IMPROVING PERFORMANCE	29-44
Aleksandar Poznić Danijela Miloradović	EXPERIMENTAL EVALUATION OF MAGNETORHEOLOGICAL DISK BRAKE	45-54

TRIBOLOGICAL OPTIMIZATION OF RECIPROCATING MACHINES ACCORDING TO IMPROVING PERFORMANCE

Saša Milojević¹, Radivoje Pešić, Dragan Taranović, Aleksandar Davinić

UDC:629.014.6

ABSTRACT: Lowering fuel consumption and exhaust emissions continue to be prime targets in the development of technology applied for Motor Vehicles and their equipment. Into the focus of attention are the reduction of the vehicle weight as well as, in the field of internal combustion engine technology, more efficient combustion system and accessory components.

As a complex system, the internal combustion engine accounts for a major part of the vehicle mass. The key components, the cylinder head and the cylinder block, for heavy loaded diesel engines, are today almost exclusively produced from aluminium. Also, by application of the aluminium pistons, it reduces engines' weight and inertial forces, as well as the engine vibrations. According to the later, the use of lightweight materials for construction of engine's accessories as it is small air reciprocating compressor for braking system of trucks and buses, has significant contributions to the reduction of equipped vehicle mass.

The advantage of aluminium with regard to the specific weight is notable, but exist the problem because it has considerable disadvantages in terms of the thermal expansion coefficient. The greater thermal expansion would cause unacceptable deformation and higher clearances during reciprocating machine operations. These high clearances would drastically increase the oil consumption and worsen the acoustic excitation. With additional coating on the cylinder liner surfaces it overcoming of poor aluminium strain properties. The application of tribological inserts towards lowering friction resulting in higher performance. The authors hope to obtain more measurement data on the test rig for small air reciprocating compressors in the Engine Laboratory at the Faculty of Engineering University of Kragujevac, which is currently being brought into operation.

KEY WORDS: Reciprocating aluminium machines, Plasma spray coating, Lowering friction

POBOLJŠANJE PERFORMANSI KLIPNIH KOMPRESORA TRIBOLOŠKOM OPTIMIZACIJOM

REZIME: Smanjenje potrošnje goriva i emisije izduvnih gasova i dalje će biti glavni ciljevi u razvoju tehnologija koje se primenjuju kod motornih vozila i njihove opreme. U centru pažnje je smanjenje težine vozila, kao i u polju razvoja tehnologija motora sa unutrašnjim sagorevanjem, primenom efikasnijeg sistema za sagorevanje i pomoćnih komponentata

Iako je složen sistem motor sa unutrašnjim sagorevanjem motor predstavlja značajan deo ukupne mase vozila. Najvažnija komponenta, glava cilindra i blok cilindra, kod teško opterećenih dizel motora, danas se isključivo proizvode od aluminijuma. Dakle, primenom aluminijumskih klipova, smanjuje se težina i vibracije motora. Primena lakih materijala za

¹ Received: September 2014, Accepted October 2014, Available on line December 2015

